TECHNICAL DATA SHEET



INSTRUMENTATION CABLES – MAS SERIES OVERALL SCREEN

MAS5102ES - 1 PAIR 1.5MM TCW ES

APPLICATION: Instrumentation Cable suitable Industrial Applications.

Standards	AC/NIZC112E AC/NIZC2000			
Stanuarus	AS/NZS1125 , AS/NZS3808 ,			
	IEC 60332-1-2 , IEC 60332-3-22 ,			
	IEC 60079.14 , RoHS Compliant			
Conductor	Stranded Tinned Copper Conductor			
	1.5mm (7/0.50mm)			
Insulation	PVC,V90HT,			
	White/Black Numbered Pair			
Screen	Element Shield of Ali/Polyester Foil c/w			
	Tinned Copper Drain Wire (7/0.20mm)			
Armour	Not Applicable			
Sheath	PVC , 5V-90 , Flame Retardant ,			
	UV Resistant Black PVC			
	(Also available in Intrinsically Safe Blue)			
Operating Temp.	-20°C to +90°C			
Max. Rated Voltage	110VRMS/150VDC			
Insulation Voltage Rating	300V			
Max. Current Rating	13 Amp			
Max. DC Resistance @ 20°C	13.6 Ω/km			
Max. Capacitance Cond. To	200 pF/m			
Cond. (Screened)				
Max. Capacitance Cond. To	300 pF/m			
Scr. (Screened)				
Inductance @ 1kHz	0.95 mH/km			
L/R Ratio @ 1kHz	36.5 μΗ/Ω			
Insulation Resistance	140 MΩ/km			
Bending Radius (Fixed)	10D (D = Cable Diameter)			





Product	Pairs	Conductor	Insulation Thickness	Outer Sheath Thickness	Approx. Cable O.D	Approx. Cable Weight
	Number of					
Maser Ordering Code	Pairs	mm²	mm	mm	mm	Kg/km
MAS5102ES	1 Pair	1.5mm	0.4	0.8	6.4	57
MAS5102ES BLUE	1 Pair	1.5mm	0.4	0.8	6.4	57

Jacket Marking

MASER MAS5102ES INSTRUMENTATION CABLE 1PR 1.5mm² TCW/PVC/ES/PVC V90 UV ROHS (MANUFACTURE DATE) (METRE MARK)

Disclaimer: Although Maser Communications NZ Limited makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described herein are subject to error or omission and to change without notice. Maser provides the information and specifications herein on an "AS IS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Maser be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Maser has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

